COUNTRY H ungery TOPIC Information	CLASSIFICATION CONTIDENTIAL/CONTROL - II. REPORT on on a Seviet-Hungarian Baugite Work at Al		•
S INDONES THE . S CALM . MANUSCAPE HILL . CALM . LANGE . CALM . LANGE . CALM .		-618905	AND VALUE
EVALUATION	PLACE OBTAINED	The second of th	arios sp
DATE OF CONTENT			
DATE OBTAINED_	DATE PREPARED	16 Narch 1954	X 1
REFERENCES		- hope of the second of the se	
PAGES 2 EN	PICLOSURES (No. & TYPE) I - sketch on ditto w	ith lagerd	MACINEA
REMARKS		10-	in Deep, and on
	This is UNEVALUATED Information	China di Shina dalam mbarusur ya maini ya in Shina di Walandana Ali Asun (Shina dalam mba a in Majuraba Shina da Cana Shina da C	Maria .
to be have a first and the second		and take the financians we save product identities procession in all the design accordance in a straight messare a september of the second september of the second september of the second seco	AGENT PROPERTY AND
THE COMMENT OF THE CO	The second of the control of the con	25X	: K 1

- The Nagyar-Szovjet Eduxit-Aluminum Vallelat (Hungarian-Soviet Bauxite-Aluminum Works) is located immediately southwest of Ajka (P.48/D.48). The works borders on the Devenser (P/8/D.38) Varosloed (P.48/D.58) ratiroad line to the north; to a brickworks erected in 1953 and an iron works to the west; and the Ajka power station to the least. Conspicuous landmarks of the enterprise are three tower-like buildings, one of which is about 48 meters high. The plant was in process of expansion toward the south.
- 2. The works had been in existence already prior to world war II. It was enlarged after 1951. Prior to the war the enterprise was run by a German-Hungarian company; after the war it became a joint Soviet-Mingarian enterprise and as such is controlled by the Manistry of Heavy Industry.
- 3. The factory is connected to the Devector-Varosloed railroad line by a double-track spur track, Access by read is from the Ajka-Padrag (P 48/Z 00) highery. The enterprise draws its electric current from the municipal power station through underground cables. The factory consists of a boiler plant, alumina processing plants and an aluminum faindry.
- The aluminum crucibles are emptied every 24 hours. One crucible contains on the average 23 ingots each of which weighs 15 kg. There was 148 crucibles in all which account for a daily production of approximately 6,200 kg of aluminum. The output of the plant is scheduled to be increased 300 percent. The aluminum produced is shipped by rail to bzekesfervar (3 48/2 00) and Budapest. Alumina is shipped in little bags.
- The bauxite required by the works arrives by rail from bauxite quarries in the vicinity including the Kolontar quarry which is about 15 km west of the works.
- 6. During World War II, about 1,000 men were employed at the plant. In the summer of 1953, the work force amounted to 1,600 to 2,000 including about 20 percent women. The work force will eventually rise to 3,000. Except for the assembly workers who ere Czechs only Hungarians are employed at the factory. A total of 1,800 construction workers including 750 forced laborers are employed on the enlargement of the works. Work was being done in three shifts.

CLASSIFICATION CONFIDENTIAL/CONTROL - U.S. OFFICIALS ONLY

CONFIDENTIAL/C	CONTROL - U.S.	OFFICIALS ONLY	25X1
		- 4 . · · ·	
			- E-

- 7. The Hungarian manager of the works was Ferenc Aszodi, His deputy was Dr. Marsek (fnu) party representative Gyula Gruenwald, chief engineer Gyoergy Szentivanyi, production chief Janos Sasvari, chief of workshop D Janos Fabian, chief of workshop E Jozsef Budai, personnel chief one Okulinszky (fnu), a chief engineer and party member, construction superviser one Almanellex (fnu).
- 5. Frior to January 1953, the installation was guarded by a 30-man detail of the Security Police (AVH). This detail was replaced by a factory detail in the same strength. The factory police included only party members who were police uniforms without rank insignia. The forced laborers were guarded by 25 Security Police. Civil defense installations were not observed. Civil defense courses were, however, continuously given.

Annex: Layout of the Aluminum-Bauxite Works near Ajka (2 pages, including the legend).

COMPLICATION - U.S. OFFICIALS ONLY


CONFIDENTIAL/CONTROL -	U.S. OFFICIA	LS ONLY		25X1
	Annex		- 17	25 X 1
			1000	
		. o		

Layout Sketch of the Bauxite Works at Ajka

Legend:

- 1 Ajka-Gyartelep railroad stop
- 2 Devecser-Varosloed railroad line
- 3 Spur tracks
- 4 Main gate with porter's lodge
- 5 Wire fence with concrete uprights
- 6 Factory shop
- 7 Old garage
- 8 New garage
- 9 Three-story section of the aluminum works
- 10 Workshop of aluminum plant, 120 x 80 meters with 148 crucibles each about $5 \times 2 \times 1\frac{1}{2}$ meters.
- 11 Loading ramp
- 12 Square alumina storage container about 35 meters high
- 13 Administrative building
- 14 L-shaped workshop of the alumina plant measuring 140 x 80 meters and 20 x 20 meters. The workshop housed a crushing plant a drying room, an alumina storage room with an undetermined number of lye baths.
- 15 Moulding plants-(Formgebasude sic)
- 16
- 17 Single-story building
- 18 Smokestack
- 19 Three pipelines
- 20 Newly built carpentry shop
- 21 Storage of bauxite
- 22 Undetermined (Huettengebasude)
- 23 Moulding plant (Formgebasude)
- 24 through Buildings nearing completion
- 28
- 29 Repair of tools
- 30 Boiler house
- 31 Fire station
- 32 Concreted water reservoir

CONFIDENTIAL/CONTROL - U.S. OFFICIALS ONLY



CONFIDENTIAL/CONTROL - U.S. OFFICIALS ONLY